



Sugar Springs Property Owners Association  
5477 Worthington Court  
Gladwin, MI 48624  
989/426-4111  
www.sugarsprings.net

## REQUEST FOR REMOVAL OF TREES WITHIN BOUNDARIES OF SUGAR SPRINGS

Location where trees will be removed:      Realm Name \_\_\_\_\_ Lot Number \_\_\_\_\_

POA Membership # \_\_\_\_\_

Name of Person Requesting to Remove Trees: \_\_\_\_\_

Mailing Address of Person Requesting to Remove Trees:

\_\_\_\_\_  
\_\_\_\_\_

Name of Contact Person: \_\_\_\_\_

Phone Number(s) of Contact Person: \_\_\_\_\_

Number of dominant trees to be removed: # \_\_\_\_\_

Number of dominant trees (greater than 4 inches) that will remain: # \_\_\_\_\_

Proposed date of tree removal: \_\_\_\_\_

Purpose of Tree Removal: \_\_\_\_\_

### Requirements for removal of trees:

- Property owners shall not cut more than twenty-five (25) percent of the dominant trees {four (4) inches or larger} in the area lying between the building site and the boundaries of their property.
- If more than twenty-five (25) percent of the dominant trees will be removed the property owner must submit as part of this request what mitigation measures will be implemented to restore the number of trees over twenty-five (25) percent that the member would like to remove.

I have read and understand the requirements and procedures for removal of trees within the boundaries of Sugar Springs and agree to follow the requirements listed in this document.

Agreed to by: \_\_\_\_\_ Date Signed: \_\_\_\_\_

*Member*

Approved by: \_\_\_\_\_ Date Approved: \_\_\_\_\_

*Sugar Springs Architectural & Environmental Control Committee*